

A1
a first dispensing opening in the panel, the first closure being configured to at least partially cover the first dispensing opening; and

a second dispensing opening in the first closure, the second closure being configured to cover the second dispensing opening.

A2
7. (Amended) The lid of claim 1, wherein the first closure includes a first flap configured to pivot about a first axis and the second closure includes a second flap configured to pivot about a second axis, the first and second axes being substantially parallel to one another.

1-10
7-12
A3
9. (Amended) A closure for use with a container, comprising:
a panel comprising a first flap and a second flap; and
a dispensing opening in the panel, the first flap being configured to reduce a size of the dispensing opening, the second flap being configured to close the dispensing opening.

10. (Amended) The closure of claim 9, wherein the first flap includes a second dispensing opening, the second dispensing opening being smaller than the first dispensing opening.

11. (Amended) The closure of claim 10, wherein the second dispensing opening is configured to receive a straw.

12. (Amended) The closure of claim 9, wherein the first flap includes a plurality of resilient members configured to receive a straw and maintain engagement with the straw.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

13. (Amended) The closure of claim 9, wherein the first flap is configured to pivot about a first axis and the second flap is configured to pivot about a second axis, the first and second axes being substantially parallel to one another.

A3
14. (Amended) The closure of claim 13, wherein the first flap and the second flap are configured to pivot in a same first direction when closing the lid and in a same second direction when exposing the first dispensing opening.

15. (Amended) A container assembly, comprising:
a container; and
the closure according to claim 9 on the container.

20. (Amended) The assembly of claim 19, wherein the first flap and the second flap are configured to pivot in a same first direction when closing the closure and in a same second direction when exposing the first dispensing opening.

A4
21. (Amended) The assembly of claim 15, wherein the container includes a first securement mechanism and the closure includes a second securement mechanism, the first securement mechanism and the second securement mechanism cooperating to secure the closure to the container.

22. (Amended) The assembly of claim 15, wherein the closure includes at least one indicia configured to inform a consumer of a product in the container.

1/23
23. (Amended) A closure for use with a container, comprising:
a panel comprising a first flap and a second flap;
a first dispensing opening in the panel; and

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

1A4
a second dispensing opening in the first flap, the first flap being pivotal between an open position exposing the first dispensing opening and a closed position modifying the first dispensing opening to the second dispensing opening, and the second flap being pivotal between an open position exposing the first flap and the second dispensing opening and a closed position covering the first flap and the second dispensing opening.

1A5
28. (Amended) The closure of claim 23, wherein the first flap and the second flap are configured to pivot in a same first direction when closing the lid and in a same second direction when exposing the first dispensing opening.

Please add claims 42-56 as follows:

42. (New) A container assembly, comprising:
a container; and
the lid according to claim 1 on the container.

1A6
43. (New) The assembly of claim 42, wherein the first closure includes a second dispensing opening, the second dispensing opening being smaller than the first dispensing opening.

44. (New) The assembly of claim 43, wherein the second dispensing opening is configured to receive a straw.

45. (New) The assembly of claim 42, wherein the first closure includes a plurality of resilient members configured to receive a straw and maintain engagement with the straw.

FINNEGAN
ENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

46. (New) The assembly of claim 42, wherein the first closure is configured to pivot about a first axis and the second closure is configured to pivot about a second axis, the first and second axes being substantially parallel to one another.

47. (New) The assembly of claim 46, wherein the first closure and the second closure are configured to pivot in a same first direction when closing the lid and in a same second direction when exposing the first dispensing opening.

48. (New) The assembly of claim 42, wherein the container includes a first securement mechanism and the lid includes a second securement mechanism, the first securement mechanism and the second securement mechanism cooperating to secure the lid to the container.

49. (New) The assembly of claim 42, wherein the lid includes at least one indicia configured to inform a consumer of a product in the container.

50. (New) A lid for use with a container, comprising:

a panel;

a first dispensing opening in the panel;

a first closure on the panel, the first closure being configured to at least partially cover the first dispensing opening; and

a second closure on the panel, the second closure being configured to cover the second dispensing opening, and the panel being configured to latch the second closure in an open position.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

51. (New) The lid of claim 50, wherein the second closure is configured to latch the first closure in an open position.

52. (New) A closure for use with a container, comprising:
a panel;
a dispensing opening in the panel;
a first flap on the panel, the first flap being configured to reduce a size of the dispensing opening; and
a second flap on the panel, the second flap being configured to close the dispensing opening, and the panel being configured to latch the second flap in an open position.

53. (New) The closure of claim 52, wherein the second flap is configured to latch the first flap in an open position.

54. (New) The lid of claim 1, wherein the panel is configured to latch the second closure in an open position, and wherein the second closure is configured to latch the first closure in an open position.

55. (New) The closure of claim 9, wherein the panel is configured to latch the second flap in an open position, and wherein the second flap is configured to latch the first flap in an open position.

56. (New) The closure of claim 23, wherein the panel is configured to latch the second flap in an open position, and wherein the second flap is configured to latch the first flap in an open position.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com